


Stuttgarter Physikalisches Kolloquium

Max-Planck-Institut für Festkörperforschung
Max-Planck-Institut für Intelligente Systeme
Fachbereich Physik, Universität Stuttgart

Ansprechpartner: Andreas Schnyder
E-Mail: A.Schnyder@fkf.mpg.de
Telefon: 0711 689-1553



Login data will be announced by e-mail and on the colloquium webpage.

Dienstag, 10. Januar 2023

16.15 Uhr

online

Stuttgarter Max-Planck-Institute, Heisenbergstraße 1, 70569 Stuttgart-Büsnau

Design and construction of a new nickelate superconductor

Julia Mundy

Harvard University

Abstract

Since the discovery of high-temperature superconductivity in copper oxide materials, there have been sustained efforts to both understand the origins of this phase and discover new cuprate-like superconducting materials. One prime materials platform has been the rare-earth nickelates; indeed, superconductivity was recently discovered in the doped compound $\text{Nd}_{0.8}\text{Sr}_{0.2}\text{NiO}_2$. Undoped NdNiO_2 belongs to a series of layered square-planar nickelates with chemical formula $\text{Nd}_{n+1}\text{Ni}_n\text{O}_{2n+2}$ and is known as the ‘infinite-layer’ ($n = \infty$) nickelate. Here, we report the synthesis of the quintuple-layer ($n = 5$) member of this series, $\text{Nd}_6\text{Ni}_5\text{O}_{12}$, in which optimal cuprate-like electron filling ($d^{8.8}$) is achieved without chemical doping. We observe a superconducting transition beginning at ~ 13 K. Electronic structure calculations, in tandem with magnetoresistive and spectroscopic measurements, suggest that $\text{Nd}_6\text{Ni}_5\text{O}_{12}$ interpolates between cuprate-like and infinite-layer nickelate-like behavior. By engineering a distinct superconducting nickelate, we identify the square-planar nickelates as a new family of superconductors that can be tuned via both doping and dimensionality.